

# Table 6

## CARGO VAN, COMPACT, 4X2

The compact cargo van specified shall be an enclosed all-steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with sliding cargo door. Vehicle shall be equipped with a driver and passenger seat, both seats being high-back bucket seat configuration; cab compartment floor covering; all doors, except rear door shall be capable of being opened from both the inside and the outside, having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside.

### Item # 30 - 4X2

		DAIMLER CHRYSLER	FORD	GENERAL MOTORS
		GRAND CARAVAN	WINDSTAR	VENTURE
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		RSKL53	A54	1UM16
PAYLOAD min. kg. (lbs.)	544 (1200)	1509	1,200	1200
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	2404 (5300) / 2584 (5700)	5500	5,540	5375
WHEEL BASE min./max. cm. (in.)	302 (119) / 307 (121)	119.3	120.7	120
BODY SIZE, OVERALL LENGTH min cm. (in.)	508 (200)	200.5	200.9	200.9
<b>ENGINE</b>				
ENGINE TYPE (Cylinder/Liter)	6 / 3.0	6/3.3	6/3.8	6/3.4
HORSEPOWER (min.)	180	180	200	185
TORQUE (ft.-lb.)	210	210	240	210
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed	4 speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	front	front	front	Front
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	2.66	3.56	3.29
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	140	135	105
BATTERY min. (CCA)	500	500	650	500
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply	comply
WINDOWS	in rear liftgate	comply	comply	comply
REAR WINDOW ELECTRIC DEFROSTER	req	comply	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply	comply
REAR WINDOW WIPER	intermittent & multi-speed w/washers	comply	comply	comply
<b>DOORS</b>				
KEYED DOOR LOCKS		left and right	left and right	left and right
REAR DOOR TYPE	lift type	lift gate	liftgate	liftgate
SIDE DOOR TYPE	sliding	comply	comply	comply
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	75 (20)	20	26	20
<b>INTERIOR</b>				
AIR CONDITIONING	req	comply	comply	comply
RADIO	am/fm w/clock	am/fm cass w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply	comply
UPHOLSTERY	cloth	comply	cloth	cloth
FLOOR COVERING	vinyl	n/a	comply	comply
<b>SEATS</b>				
SEATING CAPACITY	2	2	2	2
FIRST ROW SEAT TYPE	2 - individual	bucket	bucket	bucket
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	req			
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
WHEEL DIAMETER	15	15	15	15
TIRES	P205/R/AS	P215/R/AS	P215/R/AS	P215/R/AS

## Table 6 - CONTINUED

### CARGO VAN, COMPACT, 4X2

#### Item # 30 - OPTIONAL EQUIPMENT

		DAIMLER CHRYSLER	FORD	GENERAL MOTORS
		GRAND CARAVAN	WINDSTAR	VENTURE
<b>ENGINE</b>				
E2	UPGRADED 6 CYLINDER ENGINE Eng-Cyl/HP/Torque	Available 6/3.8,215,245	Std 6/3.8,200,240	N/A ", "
EH	ENGINE BLOCK HEATER	Available	Available	Available
<b>DRIVE AXLE</b>				
ATC	AUTOMATIC TRACTION CONTROL	N/A	Available	Available
<b>EXTERIOR</b>				
DTG	DARK TINTED GLASS	Available	Available	Std
DRL	DAYTIME RUNNING LIGHTS	Available	N/A	Std
<b>INTERIOR</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available	N/A
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available	Available
SK	METRIC ODOMETER	Available	Available	Available
RL	REAR LINING, CARGO VAN	Available	Available	N/A
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available	Std
SIAB	SIDE IMPACT AIR BAGS	Available	N/A	Std
<b>DELIVERY</b>				
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available



## Table 6 - CONTINUED

### CARGO VAN, COMPACT, 4X2

The compact cargo van specified shall be an enclosed all-steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with sliding cargo door. Vehicle shall be equipped with a driver and passenger seat, both seats being high-back bucket seat configuration; cab compartment floor covering; all doors except rear door shall be capable of being opened from both the inside and the outside, having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside.

#### Item # 30A - 4x2

GSA COMPONENTS	GSA MIN. REQ.	GM ASTRO
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		CM11005
PAYLOAD min. kg. (lbs.)	726 (1600)	1600
GROSS VEHICLE WEIGHT RATING min. kg. (lbs.)	2539 (5600)	5600
WHEEL BASE min. cm. (in.)	281 (111)	111.2
BODY SIZE, OVERALL LENGTH min. cm. (in.)	480 (189)	189.8
<b>ENGINE</b>		
ENGINE TYPE (Cylinder/Liter)	6 / 4.3	6/4.3
HORSEPOWER (min.)	190	190
TORQUE (ft.-lb.)	250	250
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
<b>DRIVE AXLE</b>		
PRIMARY DRIVE AXLE	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.42
<b>ELECTRICAL</b>		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
<b>EXTERIOR</b>		
DAYTIME RUNNING LIGHTS	min.	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDOWS	rear door	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
<b>DOORS</b>		
KEYED DOOR LOCKS		left and right
REAR DOOR TYPE	dual vertical cargo	dual cargo
SIDE DOOR TYPE	sliding	comply
<b>FUEL</b>		
FUEL CAPACITY min. Liters (gals.)	102 (27)	27
<b>INTERIOR</b>		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm stereo
POWER STEERING	req	comply
UPHOLSTERY	cloth	cloth
FLOOR COVERING	vinyl	comply
<b>SEATS</b>		
SEATING CAPACITY	2	2
FIRST ROW SEAT TYPE	2 - individual	bucket
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
WHEEL DIAMETER	15	15
TIRES	P215/R/AS	P215/R/AS

## Table 6 - CONTINUED

### CARGO VAN, COMPACT, 4X2

#### Item # 30A - OPTIONAL EQUIPMENT

ENGINE		GM ASTRO
EH	ENGINE BLOCK HEATER	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
EXTERIOR		
595F	14260 595 PAINT (FOREST SERVICE)	Available
DTG	DARK TINTED GLASS	Available
INTERIOR		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
AH	AUXILIARY REAR HEATER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
SK	METRIC ODOMETER	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available





## Table 6 - CONTINUED

### CARGO VAN, COMPACT, 4X4

The compact cargo van specified shall be an enclosed all-steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with sliding cargo door. Vehicle shall be equipped with a driver and passenger seat, both seats being high-back bucket seat configuration; cab compartment floor covering; all doors except rear door shall be capable of being opened from both the inside and the outside; having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside.

#### Item # 35A - 4x4

GSA COMPONENTS	GSA MIN. REQ.	GM ASTRO
<b>BODY/CHASSIS</b>		
MFG. MODEL CODE		CL11005
PAYLOAD min. kg. (lbs.)	753 (1660)	1660
GROSS VEHICLE WEIGHT RATING min. kg. (lbs.)	2652 (2652) min	5850
WHEEL BASE min. cm. (in.)	280 (111) min	111.2
BODY SIZE, OVERALL LENGTH min. cm. (in.)	480 (189)	189.8
<b>ENGINE</b>		
ENGINE TYPE (Cylinder/Liter)	6 / 4.3	6/4.3
HORSEPOWER (min.)	190	190
TORQUE (ft.-lb.)	250	250
COOLING SYSTEM	HDA	comply
<b>TRANSMISSION</b>		
AUTOMATIC TRANSMISSION	4 - speed	4 speed
<b>DRIVE AXLE</b>		
TOWING/MOUNTAIN RATIO	min.	
PRIMARY DRIVE AXLE	all wheel drive	awd
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.42
<b>ELECTRICAL</b>		
ALTERNATOR min. (Amps)	105	105
BATTERY min. (CCA)	600	600
<b>EXTERIOR</b>		
DAYTIME RUNNING LIGHTS	min.	comply
DARK TINTED GLASS	min.	comply
REAR VIEW MIRRORS	dual sail mount foldaway	comply
WINDOWS	in rear doors	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply
<b>DOORS</b>		
KEYED DOOR LOCKS		left and right
REAR DOOR TYPE	dual vertical cargo	dual vertical cargo
SIDE DOOR TYPE	sliding	comply
<b>FUEL</b>		
FUEL CAPACITY min. Liters (gals.)	102 (27)	27
<b>INTERIOR</b>		
AIR CONDITIONING	req	comply
RADIO	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply
UPHOLSTERY	cloth	cloth
FLOOR COVERING	vinyl	comply
<b>SEATS</b>		
SEATING CAPACITY	2	2
FIRST ROW SEAT TYPE	2 - individual	bucket
<b>SAFETY</b>		
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply
<b>SUSPENSION</b>		
SUSPENSION/SHOCKS	HDA	comply
<b>TIRES AND WHEELS</b>		
WHEEL DIAMETER	15	15
TIRES	P215/R/AS	P215/R/AS
P215/R/AS	P215/R/AS	

## Table 6 - CONTINUED

### CARGO VAN, COMPACT, 4X4

#### Item # 35A - OPTIONAL EQUIPMENT

		GM
ENGINE		ASTRO
EH	ENGINE BLOCK HEATER	Available
DRIVE AXLE		
D3	SPECIAL TRACTION DIFFERENTIAL	Available
EXTERIOR		
595F	14260 595 PAINT (FOREST SERVICE)	Available
INTERIOR		
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available
AH	AUXILIARY REAR HEATER	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available
SK	METRIC ODOMETER	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available
DELIVERY		
CNS	CONSIGNEE (DIRECT) DELIVERY	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available
DDRH	DEALER DELIVERY HAWAII	Available
MISCELLANEOUS		
MIL	DATA PLATES OR DD250	Available
PSM	PARTS AND SERVICE MANUALS	Available



# TABLE 7

## CARGO VAN, FULL SIZE, 4X2

The cargo van specified shall be an enclosed all-steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with hinged, extra wide cargo door. Rear doors shall be side hinged, double vertical. Rear doors shall have either opening or fixed type windows. Vehicle shall be equipped with a driver and passenger seat, both seats being highback bucket seat configuration; cab compartment floor covering; all doors shall be capable of being opened from both the inside and the outside; having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside.

### Item # 31 - 4X2

		DAIMLER CHRYSLER B1500	FORD E150	GENERAL MOTORS G1300
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		AB1L12	E14	CG13405
PAYLOAD min. kg. (lbs.)	662 (1460)	2152	2,205	1460
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	2766 (6100) / 3174 (7000)	6600	6,700	6200
WHEEL BASE min./max. cm. (in.)	317 (125) / 350 (138)	127	138	135
BODY SIZE, OVERALL LENGTH min./max. cm. (in.)	528 (208) / 556 (219)	208.5	211.9	221.5
<b>ENGINE</b>				
ENGINE TYPE (Cylinder/Liter)	6 / 4.2	8/5.2	6/4.2	6/4.3
HORSEPOWER (min)	192	225	192	200
TORQUE (ft.-lb.)	244	295	244	250
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed	4 speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	rear	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.55	3.55	3.42
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	117	130	105
BATTERY min. (CCA)	600	600	750	600
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply	comply
WINDOWS	req. in rear doors	comply	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply	comply
<b>DOORS</b>				
KEYED DOOR LOCKS		left and right	left and right	left and right
REAR DOOR TYPE	dual vertical cargo	dual vertical cargo	dual vertical cargo	dual vertical cargo
SIDE DOOR TYPE	hinged	comply	comply	comply
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	35	31
<b>INTERIOR</b>				
AIR CONDITIONING	req	comply	comply	comply
RADIO	am/fm w/clock	am/fm/cass w/clock	am/fm stereo w/clock	am/fm w/clock
POWER STEERING	req	comply	comply	comply
UPHOLSTERY	cloth	cloth	cloth	cloth
FLOOR COVERING	vinyl	comply	comply	comply
<b>SEATS</b>				
SEATING CAPACITY	2	2	2	2
FIRST ROW SEAT TYPE	2 - individual	bucket	bucket	bucket
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	Req	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	Req	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
WHEEL DIAMETER	15	16	15	16
TIRES	P215/R/AS	LT225/R/AS	P235/R/AS	P235/R/AS
<b>TOWING</b>				
REAR BUMPER	step type w/ RH1 provisions	comply	comply	comply

# TABLE 7 - CONTINUED

## CARGO VAN, FULL SIZE, 4X2

### Item # 31 - OPTIONAL EQUIPMENT

		DAIMLER CHRYSLER B1500	FORD E150	GENERAL MOTORS G1300
<b>BODY/CHASSIS</b>				
XS	SHORT BODY	Available	N/A	N/A
<b>ENGINE</b>				
E3	UPGRADED 8 CYLINDER ENGINE	N/A	Available	Available
	Eng-Cyl/HP/Torque	" , "	8/4.6,225,286	8/5.3,285,325
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER ENGINE	Available	Available	N/A
	Eng-Cyl/HP/Torque	8/5.9,245,335	8/5.4,255,350	" , "
EH	ENGINE BLOCK HEATER	Available	Available	Available
<b>DRIVE AXLE</b>				
AWD	OEM ALL WHEEL DRIVE	N/A	N/A	Available
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	N/A	Available
<b>EXTERIOR</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	N/A	Available
DRL	DAYTIME RUNNING LIGHTS	N/A	Available	Std
DRG	DELETE REAR WINDOW	Available	Available	Available
WD	SIDE CARGO DOOR WINDOWS	Available	Available	Available
SE	SIDE DOORS, SLIDING TYPE, VAN	Available	Available	Available
WY	WINDOWS, ALL SIDES	Available	Available	Available
<b>DOORS</b>				
LD	LEFT DOOR	N/A	N/A	Available
<b>INTERIOR</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available	Available
AC2	AUX. REAR AIR CONDITIONING	Available	Available	Available
AH	AUXILIARY REAR HEATER	Available	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available	Available
SK	METRIC ODOMETER	Available	Available	Available
RL	REAR LINING, CARGO VAN	Available	Available	N/A
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available	Available
<b>SEATS</b>				
S5BH	5 PASSENGER SEATING WITH BULKHEAD	N/A	Available	N/A
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available	Available
<b>DELIVERY</b>				
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available



# TABLE 7 - CONTINUED

## CARGO VAN, FULL SIZE, 4X2

The cargo van specified shall be an enclosed all-steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with hinged, extra wide cargo door. Rear doors shall be side hinged, double vertical. Rear doors shall have either opening or fixed type windows. Vehicle shall be equipped with a driver and passenger seat, both seats being highback bucket seat configuration; cab compartment floor covering; all doors shall be capable of being opened from both the inside and the outside; having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside.

### Item # 31A - 4X2

		DAIMLER CHRYSLER	FORD	GENERAL MOTORS
		B2500	E250	G2300
<b>BODY/CHASSIS</b>				
MFG. MODEL CODE		AB2L12	E24	CG23405
PAYLOAD min. kg. (lbs.)	982 (2165)	2998	2,437	2165
GROSS VEHICLE WEIGHT RATING	3265 (7200) /	7800	7,200	7300
min./max. kg. (lbs.)	3537 (7800)			
WHEEL BASE min./max. cm. (in.)	315 (125) / 350 (138)	127	138	135
BODY SIZE, OVERALL LENGTH	528 (208) / 556 (219)	208.5	211.9	218.8
min./max. cm. (in.)				
<b>ENGINE</b>				
ENGINE TYPE (Cylinder/Liter)	6 / 4.2	8/5.2	6/4.2	6/4.3
HORSEPOWER (min.)	191	225	191	200
TORQUE (ft.-lb.)	244	295	244	250
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed	4 speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	rear	rear	rear	Rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.92	3.73	3.73
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	117	130	105
BATTERY min. (CCA)	600	600	750	600
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply	comply
WINDOWS	req. in rear doors	comply	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply	comply
<b>DOORS</b>				
KEYED DOOR LOCKS		left and right	left and right	left and right
REAR DOOR TYPE	dual vertical cargo	dual vertical cargo	dual vertical cargo	dual vertical cargo
SIDE DOOR TYPE	hinged	comply	comply	comply
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	35	31
<b>INTERIOR</b>				
AIR CONDITIONING	req.	comply	comply	comply
RADIO	am/fm w/clock	am/fm/cass w/clock	am/fm w/clock	am/fm clock
POWER STEERING	req	comply	comply	comply
UPHOLSTERY	cloth	cloth	cloth	cloth
FLOOR COVERING	vinyl	comply	comply	comply
FLOOR MATS	req	n/a	front only	N/A
<b>SEATS</b>				
SEATING CAPACITY	2	2	2	2
FIRST ROW SEAT TYPE	2 - individual	bucket	bucket	bucket
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
WHEEL DIAMETER	15	16	16	16
TIRES	P215/R/AS	LT225/R/AS	LT225/R/AS	LT225/R/AS
<b>TOWING</b>				
REAR BUMPER	step type w/ RH1 provisions	comply	comply	comply

# TABLE 7 - CONTINUED

## CARGO VAN, FULL SIZE, 4X2

### Item # 31A - OPTIONAL EQUIPMENT

		DAIMLER CHRYSLER	FORD	GENERAL MOTORS
		B2500	E250	G2300
<b>ENGINE</b>				
E3	UPGRADED 8 CYLINDER ENGINE	N/A	N/A	Available
	Eng-Cyl/HP/Torque	" "	N/A	8/5.3,285,325
E4	UPGRADED ADDITIONAL POWER 8 CYLINDER ENGINE	Available	N/A	N/A
	Eng-Cyl/HP/Torque	8/5.9,245,335	N/A	" "
CNG	DEDICATED COMPRESSED NATURAL GAS	Available	Available	N/A
EH	ENGINE BLOCK HEATER	Available	Available	Available
<b>DRIVE AXLE</b>				
AWD	OEM ALL WHEEL DRIVE	N/A	N/A	Available
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	N/A	Available
<b>EXTERIOR</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	N/A	Available
DRL	DAYTIME RUNNING LIGHTS	N/A	Available	Std
DRG	DELETE REAR WINDOW	Available	Available	Available
RB	RUNNING BOARDS	N/A	Available	N/A
WD	SIDE CARGO DOOR WINDOWS	Available	Available	Available
SE	SIDE DOORS, SLIDING TYPE, VAN	Available	Available	Available
WY	WINDOWS, ALL SIDES	Available	Available	Available
<b>DOORS</b>				
LD	LEFT DOOR	N/A	N/A	Available
<b>INTERIOR</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available	Available
AC2	AUX. REAR AIR CONDITIONING	Available	Available	Available
AH	AUXILIARY REAR HEATER	Available	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available	Available
SK	METRIC ODOMETER	Available	Available	Available
RL	REAR LINING, CARGO VAN	Available	Available	N/A
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available	Available
<b>SEATS</b>				
S5BH	5 PASSENGER SEATING WITH BULKHEAD	N/A	Available	N/A
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available	Available
<b>DELIVERY</b>				
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available





# TABLE 7 - CONTINUED

## CARGO VAN, FULL SIZE, 4X2

The cargo van specified shall be an enclosed all-steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with hinged, extra wide cargo door. Rear doors shall be side hinged, double vertical. Rear doors shall have either opening or fixed type windows. Vehicle shall be equipped with a driver and passenger seat, both seats being highback bucket seat configuration; cab compartment floor covering; all doors shall be capable of being opened from both the inside and the outside; having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside.

### Item # 32 - 4X2

		DAIMLER CHRYSLER	FORD	GENERAL MOTORS
BODY/CHASSIS		B3500	E250	G2300
MFG. MODEL CODE		AB3L12	E24	CG23405
PAYLOAD min. kg. (lbs.)	1517 (3345)	3892	3,783	3345
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	3854 (8500)/ 3990 (8800)	8700	8,600	8600
WHEEL BASE min./max. cm. (in.)	315 (125) / 350 (138)	127	138	135
BODY SIZE, OVERALL LENGTH min./max. cm. (in.)	528 (208) / 563 (222)	208.5	211.9	221.5
ENGINE				
ENGINE TYPE (Cylinder/Liter)	8 / 5.4	8/5.9	8/5.4	8/4.8
HORSEPOWER (min.)	245	245	255	270
TORQUE (ft.-lb.)	285	335	350	285
COOLING SYSTEM	HDA	comply	comply	comply
TRANSMISSION				
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed	4 speed
DRIVE AXLE				
PRIMARY DRIVE AXLE	rear	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	3.92	3.73	3.73
ELECTRICAL				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	600	600	750	600
EXTERIOR				
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply	comply
WINDOWS	req. in rear doors	comply	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply	comply
DOORS				
KEYED DOOR LOCKS		left and right	left and right	left and right
REAR DOOR TYPE	dual vertical cargo	dual Vertical Cargo	dual vertical cargo	dual vertical cargo
SIDE DOOR TYPE	hinged	comply	comply	comply
FUEL				
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	35	31
INTERIOR				
AIR CONDITIONING	req	comply	comply	comply
RADIO	am/fm w/clock	am/fm/cass w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply	comply
UPHOLSTERY	cloth	cloth	cloth	cloth
FLOOR COVERING	vinyl	comply	comply	comply
SEATS				
SEATING CAPACITY	2	2	2	2
FIRST ROW SEAT TYPE	2 - individual	bucket	bucket	bucket
SAFETY				
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply	comply
SUSPENSION				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
TIRES AND WHEELS				
WHEEL DIAMETER	16	16	16	16
TIRES	LT225/R/AS	LT225/R/AS	LT225/R/AS	LT225/R/AS
TOWING				
REAR BUMPER	step type w/ RH1 provisions	comply	comply	comply



**TABLE 7 - CONTINUED**  
**CARGO VAN, FULL SIZE, 4X2**

**Item # 32 - OPTIONAL EQUIPMENT**

		DAIMLER CHRYSLER B3500	FORD E250	GENERAL MOTORS G2300
<b>BODY/CHASSIS</b>				
XL	EXTRA LONG BODY	Available	Available	Available
<b>ENGINE</b>				
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	N/A	N/A	Available
	Eng-Cyl/HP/Torque	" "	N/A	8/6.0,300,360
CNG	DEDICATED COMPRESSED NATURAL GAS	Available	Available	Available
CNG2	DUAL FUEL (CNG AND GASOLINE)	N/A	N/A	Available
EH	ENGINE BLOCK HEATER	Available	Available	Available
<b>DRIVE AXLE</b>				
AWDC	CHASSIS MANUFACTURER'S APPROVED 4X4 CONVERSION Non-OEM (Dealers Only)	N/A	Available	Available
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	N/A	Available
<b>EXTERIOR</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	N/A	Available
DRL	DAYTIME RUNNING LIGHTS	N/A	Available	Std
DRG	DELETE REAR WINDOW	Available	Available	Available
RB	RUNNING BOARDS	N/A	Available	N/A
WD	SIDE CARGO DOOR WINDOWS	Available	Available	Available
SE	SIDE DOORS, SLIDING TYPE, VAN	Available	Available	Available
WY	WINDOWS, ALL SIDES	Available	Available	Available
<b>DOORS</b>				
LD	LEFT DOOR	N/A	N/A	Available
<b>INTERIOR</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available	Available
AC2	AUX. REAR AIR CONDITIONING	Available	Available	Available
AH	AUXILIARY REAR HEATER	Available	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available	Available
SK	METRIC ODOMETER	Available	Available	Available
RL	REAR LINING, CARGO VAN	Available	Available	N/A
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available	Available
<b>SEATS</b>				
S5BH	5 PASSENGER SEATING WITH BULKHEAD	N/A	Available	N/A
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available	Available
<b>DELIVERY</b>				
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available



## TABLE 7 - CONTINUED

### CARGO VAN, FULL SIZE, 4X2

The cargo van specified shall be an enclosed all-steel unitized, or on-frame constructed, integral body and cab. The curbside shall be provided with hinged, extra wide cargo door. Rear doors shall be side hinged, double vertical. Rear doors shall have either opening or fixed type windows. Vehicle shall be equipped with a driver and passenger seat, both seats being highback bucket seat configuration; cab compartment floor covering; all doors shall be capable of being opened from both the inside and the outside; having keyed locks; door checks or straps; dome light(s); and engine maintenance necessities serviceable from the outside.

#### Item # 34 - 4X2

GSA COMPONENTS	GSA MIN. REQ.	DAIMLER CHRYSLER	FORD	GENERAL MOTORS
<b>BODY/CHASSIS</b>		<b>B3500</b>	<b>E350</b>	<b>CG3300</b>
MFG. MODEL CODE		AB3L13	S34	CG33705
PAYLOAD min. kg. (lbs.)	1724 (3800)	4122	4,045	3800
GROSS VEHICLE WEIGHT RATING min./max. kg. (lbs.)	4172 (9200)/ 4489 (9900)	9200	9,400	9600
WHEEL BASE min./max. cm. (in.)	315 (125) / 390 (155)	127	138	155
BODY SIZE, OVERALL LENGTH min. cm. (in.)	586 (231) min	234.5	231.9	238.8
<b>ENGINE</b>				
ENGINE TYPE (Cylinder/Liter)	8/5.4	8/5.9	8/5.4	8/6.0
HORSEPOWER (min.)	245	245	255	300
TORQUE (ft.-lb.)	335	335	350	360
COOLING SYSTEM	HDA	comply	comply	comply
<b>TRANSMISSION</b>				
AUTOMATIC TRANSMISSION	4 - speed	4 speed	4 speed	4 speed
<b>DRIVE AXLE</b>				
PRIMARY DRIVE AXLE	rear	rear	rear	rear
DIFFERENTIAL TYPE/RATIO	regular / mfg. std.	4.1	3.55	3.73
<b>ELECTRICAL</b>				
ALTERNATOR min. (Amps)	105	136	130	105
BATTERY min. (CCA)	600	600	750	600
<b>EXTERIOR</b>				
REAR VIEW MIRRORS	dual sail mount foldaway	comply	comply	comply
WINDOWS	req in rear doors	comply	comply	comply
WINDSHIELD WIPERS	intermittent & multi-speed w/washers	comply	comply	comply
<b>DOORS</b>				
KEYED DOOR LOCKS		left and right	left and right	left and right
REAR DOOR TYPE	dual vertical cargo	dual vertical cargo	dual vertical cargo	dual vertical cargo
SIDE DOOR TYPE	hinged	comply	comply	comply
<b>FUEL</b>				
FUEL CAPACITY min. Liters (gals.)	117 (31)	35	35	31
<b>INTERIOR</b>				
AIR CONDITIONING	req	comply	comply	comply
RADIO	am/fm w/clock	am/fm/cass w/clock	am/fm w/clock	am/fm w/clock
POWER STEERING	req	comply	comply	comply
UPHOLSTERY	cloth	cloth	cloth	cloth
FLOOR COVERING	vinyl	comply	comply	comply
<b>SEATS</b>				
SEATING CAPACITY	2	2	2	2
FIRST ROW SEAT TYPE	2 - individual	bucket	bucket	bucket
<b>SAFETY</b>				
POWER ANTILOCK BRAKES, FRONT AND REAR	req	comply	comply	comply
RESTRAINT SYSTEM, DRIVER AND PASSENGER	req	comply	comply	comply
SUPPLEMENTAL RESTRAINT SYSTEM, DRIVER & FRONT PASSENGER	req	comply	comply	comply
<b>SUSPENSION</b>				
SUSPENSION/SHOCKS	HDA	comply	comply	comply
<b>TIRES AND WHEELS</b>				
WHEEL DIAMETER	16	16	16	16
TIRES	LT245/R/AS	LT245/R/AS	LT245/R/AS	LT245/R/AS
<b>TOWING</b>				
REAR BUMPER	step type w/ RH1 provisions	comply	comply	comply

# TABLE 7 - CONTINUED

## CARGO VAN, FULL SIZE, 4X2

### Item # 34 - OPTIONAL EQUIPMENT

		DAIMLER CHRYSLER B3500	FORD E350	GENERAL MOTORS CG3300
<b>BODY/CHASSIS</b>				
STDL	REG. BODY LGTH (OVERALL LGTH, CM MIN.528 CM(208 IN) MAX 556	N/A	Available	Available
<b>ENGINE</b>				
E5	UPGRADED EXTRA POWER V8/V10 ENGINE	N/A	Available	N/A
	Eng-Cyl/HP/Torque	" "	10/6.8,305,420	" "
YD	DIESEL ENGINE	N/A	Available	N/A
	Eng-Cyl/HP/Torque	" "	8/7.3,215,425	" "
CNG	DEDICATED COMPRESSED NATURAL GAS	Available	Available	Available
CNG2	DUAL FUEL (CNG AND GASOLINE)	N/A	N/A	Available
EH	ENGINE BLOCK HEATER	Available	Available	Available
<b>DRIVE AXLE</b>				
AWDC	CHASSIS MANUFACTURER'S APPROVED 4X4 CONVERSION Non-OEM (Dealers Only)	N/A	Available	Available
D3	SPECIAL TRACTION DIFFERENTIAL	Available	Available	Available
D7	TOWING/MOUNTAIN RATIO	Available	Available	Available
<b>EXTERIOR</b>				
595F	14260 595 PAINT (FOREST SERVICE)	N/A	N/A	Available
DRL	DAYTIME RUNNING LIGHTS	N/A	Available	Std
DRG	DELETE REAR WINDOW	Available	Available	Available
RB	RUNNING BOARDS	N/A	Available	N/A
WD	SIDE CARGO DOOR WINDOWS	Available	Available	Available
SE	SIDE DOORS, SLIDING TYPE, VAN	Available	Available	Available
WY	WINDOWS, ALL SIDES	Available	N/A	Available
<b>DOORS</b>				
LD	LEFT DOOR	N/A	N/A	Available
<b>INTERIOR</b>				
RACS	AM/FM RADIO WITH CASSETTE PLAYER	Available	Available	Available
RAD	AM/FM RADIO WITH COMPACT DISC PLAYER	Available	Available	Available
AC2	AUX. REAR AIR CONDITIONING	Available	Available	Available
AH	AUXILIARY REAR HEATER	Available	Available	Available
CRTS	CRUISE CONTROL AND TILT STEERING	Available	Available	Available
SK	METRIC ODOMETER	Available	Available	Available
RL	REAR LINING, CARGO VAN	Available	Available	N/A
VU	VINYL UPHOLSTERY, FRONT AND REAR	Available	Available	Available
PWL	POWER WINDOWS & DOOR LOCKS	Available	Available	Available
<b>SEATS</b>				
S5BH	5 PASSENGER SEATING WITH BULKHEAD	N/A	Available	N/A
<b>RECEIVER HITCH</b>				
RH3	OEM DRAW BAR RECEIVER CLASS III	Available	Available	Available
<b>DELIVERY</b>				
CNS	CONSIGNEE (DIRECT) DELIVERY	Available	Available	Available
DDRP	DEALER DELIVERY PUERTO RICO	Available	Available	Available
DDRH	DEALER DELIVERY HAWAII	Available	Available	Available
<b>MISCELLANEOUS</b>				
MIL	DATA PLATES OR DD250	Available	Available	Available
PSM	PARTS AND SERVICE MANUALS	Available	Available	Available

